

- InP HEMT Technology
- **Lowest Noise Figure**
- Wideband LNA, PA

The H2-50 is a 150 um gate width InP HEMT transistor from HRL Laboratories 100 nm H2 process with a typical cutoff frequency (fT) of 180 GHz. This unpackaged transistor can provide the low noise figure performance for high levels of packaging integration.

Table I Specified Performance at $T_A=25^{\circ}C$

Parameter	Units	Bias	Min	Тур	Max
Maximum Transconductance (g _{m,max})	mS	Vds = 1.0 V	90	120	
Short Circuit Drain Current (I _{dss})	mA	Vds = 1.0 V Vgs = 0.0	30	45	
Pinch Off Voltage (V _{po})	V	Vds = 1.0 V	-1	-0.4	0
Gate Leakage (I _{g, min})	uA	Vds = 0.0 V Vgs = -1.0		45	60

Table II Maximum Ratings at $T_A=25^{\circ}$ C

Symbol	Parameter	Value	Note
V _{DS}	Drain to Source Voltage	2.0 V	
V_{GD}	Gate to Drain Voltage	-3.0 to 0.2 VDC	
V _{GS}	Gate to Source Voltage	-1.0 to 0.2 VDC	
T _M	Die Attach Temperature	290° C	30 Seconds maximum


Disclosure Information: This document is for information only. HRL Laboratories reserves the right to change without notice the characteristic data and other specifications as they apply to the product(s). The product(s) represented by this document is subject to U.S. Export Law as contained in ITAR or the EAR regulations. HRL Laboratories makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does HRL Laboratories assume any liability whatsoever arising out of the use or application of any product(s) or information. 1/21/2012

©2011 HRL Laboratories, LLC

http://mmics.hrl.com mmics@hrl.com


(310) 317-5981

Typical DC IV Performance at $T_A=25^{\circ}$ C



Outline Drawing

Disclosure Information: This document is for information only. HRL Laboratories reserves the right to change without notice the characteristic data and other specifications as they apply to the product(s). The product(s) represented by this document is subject to U.S. Export Law as contained in ITAR or the EAR regulations. HRL Laboratories makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does HRL Laboratories assume any liability whatsoever arising out of the use or application of any product(s) or information. 1/21/2012



Disclosure Information: This document is for information only. HRL Laboratories reserves the right to change without notice the characteristic data and other specifications as they apply to the product(s). The product(s) represented by this document is subject to U.S. Export Law as contained in ITAR or the EAR regulations. HRL Laboratories makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does HRL Laboratories assume any liability whatsoever arising out of the use or application of any product(s) or information. 1/21/2012

©2011 HRL Laboratories, LLC

http://mmics.hrl.com mmics@hrl.com

(310) 317-5981